## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	of filing in State Engineer's OfficeFEB 02 1989				
	rned to applicant for correction				
Corre	ected application filed				
Мар	filedFEB 02 1989				
_	John R. Furney				
	The applicant John R. Furney				
	3933 Fisher Street , of NOrth Las Vegas, Street and No. or P.O. Box No. City or Town				
	Nevada 89030 , hereby make application for permission to appropriate the public				
wate	rs of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a				
copa	rtnership or association, give names of members.)				
1 '	The source of the proposed appropriation is underground source.				
••	Tame of Stieving, takes, up mg, and of Stieving States				
2	The amount of water applied for issecond-feet				
	One second-foot equals 448.83 gals. per min.  (a) If stored in reservoir give number of acre-feet				
	The water to be used for				
	f use is for:				
	(a) Irrigation, state number of acres to be irrigated				
	(b) Stockwater, state number and kinds of animals to be watered				
	(c) Other use (describe fully under No. 12. "Remarks" See Item 12.				
	(d) Power:				
	(1) Horsepower developed				
	(2) Point of return of water to stream				
5.	The water is to be diverted from its source at the following point within the Southeast one-quarter  Describe as being within a 40-acre subdivision of public				
	(SE $\frac{1}{2}$ ) Northeast one-quarter (NE $\frac{1}{4}$ ) Section 31, Township 19 South, Range 61 East,				
	survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  MDBM, from which the center one-quarter corner (C1) of said Section 31, Bears South 78 <sup>0</sup> 29'04" West a				
	distance of 1683.05ft.				
	Place of use North one-half (N½) Southwest one-quarter (SW½) Southeast one- Describe by legal subdivision. If on unsurveyed land, it should be so stated.				
	quarter (SE1) Northeast one-quarter (NE1) Section 31, Township 19 South, Range				
	61 East, MDBM.				
7.	Use will begin about January 1st and end about December 31st of each year.  Month and Day  Month and Day				
	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and				
	specifications of your diversion or storage works.) install additional storage tank and  State manner in which water is to be diverted, i.e. diversion structure, ditches and				
	pumping equipment.				

1 yr., well is a existing P steel cased well and 5 HP. submersible pump currently serving 4 houses under Permit #495.  11. Estimated time required to complete the application of water to beneficial use.  12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:  Well to service 8 houses.    Protested	9.	Estimated cost of works	\$6000.00 for additional stora	.ge and pumps.			
11. Estimated time required to complete the application of water to beneficial use.  12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:  Well to service 8 houses.  By S/ John R. Furney  RODERT FILSTONE-FALSTONE Enterprise  940 Marrini N. Kingslvd.  Las Vegas, Nevada 89106  Protested.  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of fliversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed and maintained in the discharge pipeline near the point of fliversion and accurate measurements must be kept of water placed to beneficial use to installed and maintained prevent wates. The well shall be equipped with the completion of the example o	10.	Estimated time required to construct works					
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:  Well to service 8 houses.  By S/John R. Furney ROBERT FILISTONE ENTERPRISE Pod Martin L. Kingslvd. Las Vegas, Nevada 89106  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is Issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of liversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area lesignated by the State Engineer pursuent to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on upulic, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Pederal and local agencies.  The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Pederal and local agencies.  The total combined duty of water under Permits 9552 and 52905 shall not oxosed 2.92 million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  April 25, 1990  Proof of beneficial use shall be f		well and 5 HP. submersible p					
By S/John R. Furney  Robert Fulstone-Fulstone Enterprise: 940 Martin L. KingBlvd. Las Vegas, Nevada 89106  Protested.  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter munt be installed before any use of water begins, or before the selection of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent water. This source is located within an area the eight to regulate the use of the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on sublic, private or corporate lands.  The total combined duty of water under Permits 49552 and 52905 shall not exceed 2.92 million gallons annually.  The total combined duty of water under Permits 49552 and 52905 shall not exceed 2.92 million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  May 25, 1990  Application of water to beneficial use shall be filed on or before.  May 25, 1990  Application of water to beneficial use shall be filed on or before.  MAY 25, 1991  Proof of the application of water to beneficial use shall be filed on or before.  May 25, 1990  IN TESTIMONY WHERBOF, I, R. MICHAEL TURNIPSEED, P. P. Sate Engineer of Nevada, have hereumo set my hand and the seal of my office, this 4th.  June 2. June 2. June 2. June 2. Jun	11. Estimated time required to complete the application of water to beneficial use						
By s/ John R. Furney  Robert Fulstone-Fulstone Enterprise 940 Martin L. KingBlvd.  Las Vegas, Nevada 89106  Protested.  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions. This permit is issued subject to everified by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of liversion and accurate measurements must be kept of water pipeline, or before the totalizing meter must be installed and maintained in the discharge pipeline near the point of liversion and accurate measurements must be kept of water pined to beneficial use. The totalizing meter must be installed before any use of water begins, or before the proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water Level. The well is flowing, a valve must be installed and maintained to prevent waster. This source is located within an assessment of the static water level. The well is flowing, a valve must be installed and maintained to prevent waster. This source is located within an assessment of the static water in the right to regulate the use of the water herein granted at any and all times.  This permit does not extend the permit to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  The issuance of this permit does not waive the requirements that the permit older obtain other permits from State, Federal and local agencies.  The total combined duty of water under Permits 49525 and 52905 shall not exceed 1.92 million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  May 25, 1990  Proof of completion of water to beneficial use shall be filed on or before.  May 25, 1990  Map in support of proof of beneficial use shall be filed on or befo							
Compared am/se am/se 940 Martin L. KingBlvd.  Las Vegas, Nevada 89106  Protested.  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed above any use of water begins, or before the eroof of Completion of Work is filled. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be a classificated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.  The total combined duty of water under Permits 49552 and 52905 shall not exceed 2.92 million gallons annually.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed		Well to service 8 houses.					
Compared am/se							
Protested  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of fiversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the eroof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well is flowing, a valve must be a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area lesignated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This permit does not extend the permittee the right of largress and egress on public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit older obtain other permits from State, Federal and local agencies.  The total combined duty of water under Permits 49552 and 52905 shall not exceed 2.92 million gallons annually.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed		am/	By S/ John R. Furney Robert Fulstone-Ful	stone Enterprises			
APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area lesignated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit nolder obtain other permits from State, Federal and local agencies.  The otal combined duty of water under Permits 49552 and 52905 shall not exceed 2.92 million gallons annually.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed	Con	npared din/ se din/ se					
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipelline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit molder obtain other permits from State, Federal and local agencies.  The total combined duty of water under Permits 49552 and 52905 shall not exceed 2.92 million gallons annually.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.  0.04	Prot	ested		***************************************			
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit molder obtain other permits from State, Federal and local agencies.  The total combined duty of water under Permits 49552 and 52905 shall not exceed 2.92 million gallons annually.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.04							
following limitations and conditions: This permit is issued subject to existing rights and is a water district to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipelline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area lesignated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit molder obtain other permits from State, Federal and local agencies.  The total combined duty of water under Permits 49552 and 52905 shall not exceed 2.92 million gallons annually.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.04 cubic feet per second . but not to exceed 2.92 million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  May 25, 1990  Proof of completion of water to beneficial use shall be filed on or before.  May 25, 1991  Map in support of proof of beneficial use shall be filed on or before.  MAR 2 9 1990  IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P, E. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 4th day of June		APPROV	ALOF STATE ENGINEER				
Proof of completion of work shall be filed before	must diver The Proof for a 2. be desiright publication and a 2. 92 The	water district or a municipality of the installed and maintained ersion and accurate measurements totalizing meter must be installed of of Completion of Work is file a reasonable lowering of the state 2-inch opening for measuring depth installed and maintained to preveignated by the State Engineer but to regulate the use of the water This permit does not extend lic, private or corporate lands. The issuance of this permit der obtain other permits from State The total combined duty of water 2 million gallons annually.  amount of water to be appropriated shall be limited.	engaged in furnishing water. A in the discharge pipeline no must be kept of water placed to end before any use of water begin ed. It is understood that this ic water level. The well shall to water. If the well is flowing the waste. This source is located pursuant to NRS 534.030. The Stranger herein granted at any and all the permittee the right of ingred does not waive the requirements of Federal and local agencies. In under Permits 49552 and 52905 and to the amount which can be applied to be a cubic feet per second, but not to except the second is the second in the sec	totalizing meter ear the point of beneficial use. s, or before the right must allow be equipped with ng, a valve must d within an area tate retains the times. ss and egress on that the permit shall not exceed eficial use, and not to seed 2.92 million			
Application of water to beneficial use shall be filed on or before	Wor	k must be prosecuted with reasonable diligence a	nd be completed on or before Apr	il 25, 1990			
Proof of the application of water to beneficial use shall be filed on or before	Proc	of of completion of work shall be filed before	<u>M</u>	ay 25, 1990			
Map in support of proof of beneficial use shall be filed on or before	App]	lication of water to beneficial use shall be filed o	n or before	il 25, 1991			
Completion of work filed  MAR 2 9 1990  IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.  State Engineer of Nevada, have hereunto set my hand and the seal of my  office, this 4th day of June  Certificate No. Issued	Proc	of of the application of water to beneficial use sha	ll be filed on or before	ay 25, 1991			
State Engineer of Nevada, have hereunto set my hand and the seal of my  Proof of beneficial use filed office, this 4th day of June  Certificate No. Issued	Мар	in support of proof of beneficial use shall be file	ed on or before <u>N/A</u>				
Cultural map filed  Certificate No. Issued  Office, this 4th day of June  A.D. 1991	Comp	pletion of work filed MAR 2 9 1990	• •				
Cultural map filed	Proof	f of beneficial use filed	•				
Certificate No. Issued A.D. 1991	Cultu	ral map filed	office, this 4th day of June	***************************************			
State Engineer		-	A.D. 1991				
,			Affect of fem	State Engineer			

## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of	filing in State Engineer's Office
Returne	d to applicant for correction
Correcte	ed application filed
Map file	FEB 0 2 1989
an a	applicant John R. Furney
	Street and No. or P.O. Box No. City or Town
	State and Zip Code No.
	f the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartne	ership or association, give names of members.)
1. The	source of the proposed appropriation isunderground source.  Name of stream, lake, spring, underground or other source
******	,
2. The	amount of water applied for is
	If stored in reservoir give number of acre-feet
	water to be used for quasi-municipal purposes    Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
	se is for:
(a) ]	Irrigation, state number of acres to be irrigated
	Stockwater, state number and kinds of animals to be watered N/A
	Other use (describe fully under "No. 12. Remarks") See Item 12.
	Power:
` '	(1) Horsepower developed N/A
	(2) Point of return of water to stream
	water is to be diverted from its source at the following point. Within the Southeast one-quarter  Describe as being within a 40-acre subdivision of public  The North and the Southeast one-quarter  (NEL) Southeast one-quarter  (NEL) Southeast one-quarter  (NEL) Southeast one-quarter
	E½) Northeast one-quarter (NE½) Section 31, Township 19 South, Range 61East, y, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. MDBM, from which the center
of	e-quarter corner (C½) of said Section 31, Bears South 78°29'04" West a distance 1683.05ft.
6. Pla (S	cc of use. North one-half (N½) Southwest one-quarter (SW½) Southeast one-quarter E¼) Northeast one-quartePascribe by legal subdivision. If on unsurveyed land, it should be so stated.
<u>(N</u>	E½) Section 31, Township 19 South, Range 61 East, MDBM.
7. Use	e will begin about <u>January 1st</u> and end about <u>December 31st</u> , of each year.  Month and Day Month and Day
8. De:	scription of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
spe	cifications of your diversion or storage works.) install additional storage tank and pumping.  State manner in which water is to be diverted, i.e. diversion structure, ditches and
	uipment. es, drilled well with pump and motor, etc.
	imated cost of works \$6000.00 for additional storage and pumps.

10. Estimated time required to construct works	1 yr., well is a existing 8" steel cased well  If well completed, describe works.					
	rently serving 4 houses under Permit #49552.					
11. Estimated time required to complete the applica	ation of water to beneficial use 3 to 5 years.					
12. Remarks: For use other than irrigation or stoconsumptive use.	2. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.					
Well to service 8 houses.	Well to service 8 houses.					
***************************************						
	/s/ John R. Furney By Robert Fulstone-Fulstone Enterprise 940 Martin L. <u>KingBlvd</u> .					
Compared kh/Se bp/se	Las Vegas, Nevada 89106					
Protested						
APPROVAL	OF STATE ENGINEER					
This is to certify that I have examined the foregoi limitations and conditions:	ing application, and do hereby grant the same, subject to the following					
This permit is issued subject t	to existing rights and is further subject to					
	rnished by an entity such as a water district water. A totalizing meter must be installed					
and maintained in the discharge pipel	line near the point of diversion and accurate					
	aced to beneficial use. The totalizing meter ter begins, or before the Proof of Completion					
	d that this right must allow for a reasonable					
lowering of the static water level. The	well shall be equipped with a 2-inch opening					
	ell is flowing, a valve must be installed and					
	e is located within an area designated by the The State retains the right to regulate the					
use of the water herein granted at any ar						
This Permit does not extend the	permittee the right of ingress and egress on					
public, private or corporate lands.						
The issuance of this permit doe holder obtain other permits from State, E	es not waive the requirements that the permit					
	nder Permits 49552 and 52905 shall not exceed					
2.92 million gallons annually.						
	ited to the amount which can be applied to beneficial use, and not to					
exceed 0.04	cubic feet per second, but not to exceed 1.46 million					
qallons annually.						
Work must be prosecuted with reasonable diligence a	and be completed on or before					
Proof of completion of work shall be filed on or before	ore May 25, 1990					
Application of water to beneficial use shall be made	on or before					
Proof of the application of water to beneficial use sha	nall be filed on or before					
Map in support of proof of beneficial use shall be file	led on or heforeN/A					
	N TESTIMONY WHEREOF, I PETER G. MORROS					
	State Engineer of Nevada, have hereunto set my hand and the seal of my					
Proof of beneficial use filed	office, this 29th day of September					
Cultural map filed	A.B. 1989					
Certificate NoIssued	( It )					
	State Engineer					
(O)-5314 (Rev.)						